

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

SEMI-ANNUAL PROJECT REPORT
August-December 1984

NASA Langley Research Center
Research Grant NAG-1-145

DEVELOPMENT AND APPLICATION OF
OPTIMUM SENSITIVITY ANALYSIS OF STRUCTURES

J.-F. M. Barthelemy and W. L. Hallauer Jr.
Department of Aerospace and Ocean Engineering
Virginia Polytechnic Institute and State University
Blacksburg, Virginia 24061

(NASA-CR-175857) DEVELOPMENT AND
APPLICATION OF OPTIMUM SENSITIVITY ANALYSIS
OF STRUCTURES Semiannual Progress Report,
Aug. - Dec. 1984 (Virginia Polytechnic Inst.
and State Univ.) 6 p HC A02/HF A01 CSCL 20K G3/39

N85-27257

Unclas
15083

DEVELOPMENT AND APPLICATION OF OPTIMUM SENSITIVITY ANALYSIS OF STRUCTURES

The work funded through NASA Research Grant NAG-1-145 was begun in January 1981. It was initially in the area of optimum sensitivity analysis, a technique which permits one to find derivatives of optimum design variables and objective function with respect to the parameters held fixed during optimization. The research then focused on developing an algorithm applying optimum sensitivity analysis for multilevel optimization. Since June 1983, the research efforts have been devoted to assisting NASA Langley's Interdisciplinary Research Office (IRO) in the development of a mature methodology for a multilevel approach to the design of complex (large and multidisciplinary) engineering systems. The multilevel approach to design is discussed extensively in [1] and [2] for example.

During the previous reporting period, an effort was undertaken to identify promising multilevel optimization algorithms. This work is being conducted in collaboration with Michael Riley of Kentron International Inc. who carries out the required programming. In the current reporting period, the computer program generating baseline single-level solutions was completed and tested out. Four baseline solutions were generated: a local constraint dominated three-bar truss design, a global constraint dominated three-bar truss design, a local constraint dominated ten-bar

The NASA Technical Officer for this grant is Dr. Jaroslaw Sobieszczanski-Sobieski, NASA Langley Research Center.

truss design and a global constraint dominated ten-bar truss design. Furthermore, the computer program conducting two-level design following the method of Sobieski et al ([3]) was coded and is undergoing final checkout. In the upcoming reporting period, it is expected that we will complete experimentation with this method and work will begin on implementation of that proposed by Haftka ([4]). A presentation titled "A Comparative Study of Multilevel Optimization Algorithms for Engineering Design" has been proposed for the work-in-progress session of the AIAA/ASME/ASCE/AHS 26th Structures, Structural Dynamics and Materials Conference that will be held 15-17 April 1985 in Orlando, Florida.

A new project was begun in the context of continuing support to IRO's effort in the area of multidisciplinary optimization. This project aims at studying the sensitivity of aeroelastic responses to changes in wing shape parameters. This type of derivative is necessary when optimizing the configuration of flexible wings. It was decided to initiate that project by a proof-of-concept study in order to identify the difficulties and requirements of such sensitivity analysis. That study is concerned with the sensitivity of the elastic loads on a wing flying at constant lift to changes in thickness ratio, camber and twist angle. The structural analysis is conducted by the classical finite element method. The subsonic aerodynamic analysis uses the nonlinear potential method developed by D. R. Bristow and presented in [5]. Sensitivity analysis of aeroelastic response requires the

capability to perform sensitivity analysis of structural and aerodynamic responses. Most of these derivatives are derived analytically. The aerodynamic derivatives are generated by the method introduced in [5]. This work is being conducted in collaboration with Brenton Weathered of Kentron International Inc. who carries out the wing modeling as well as the computer programing. At the end of this reporting period, the analytical formulation of the problem is completed and the computer program generating aerodynamic and structural models also. It is hoped that initial sensitivity results will become available by the end of the next reporting period.

It was mentioned in the previous project report that some efforts were to be devoted to assisting a joint IRO-CALAC (Lockheed California) design project. This assistance has continued throughout the current reporting period and has included coordination of the exchanges with CALAC as well as participation in the formulation of the design process and in the definition of the testing of the resulting computer system.

Finally, a paper coauthored by J. Sobieszczanski-Sobieski and J.-F. Barthelemy and titled "Improving Engineering System Design by Formal Decomposition, Sensitivity Analysis, and Optimization" will be presented at the International Conference on Engineering Design in Hamburg, West Germany 26-28 August 1985. Also, a paper coauthored by J. Rogers and J.-F. Barthelemy and titled "An Expert System for Choosing the Best Option for Automated Design

Synthesis," will be presented at the International Computers in Engineering Conference and Exhibition, Boston, Mass., 4-8 August 1985.

REFERENCES

1. Sobieszczanski-Sobieski, J., "A Linear Decomposition Method for Large Optimization Problems - Blueprint for Development," NASA TM 83248, February 1982.
2. Barthelemy, J. -F. M., "Development of a Multilevel Optimization Approach to the Design of Modern Engineering Systems," Ph. D. Dissertation, Aerospace and Ocean Engineering Department, Virginia Polytechnic Institute and State University, Blacksburg, Virginia, May 1983. Available through University Microfilms International, Ann Arbor, Michigan, 48106. See also NASA CR 172184.
3. Sobieszczanski-Sobieski, J., James, B., and Dovi, A., "Structural Optimization by Multilevel Decomposition," AIAA Paper No. 83-0832-CP, presented at the 24th AIAA/ASME/ASCE/AHS Structures, Structural Dynamics and Materials Conference, Lake Tahoe, Nevada, May 2-4 1983.
4. Haftka, R. T., "An Improved Computational Approach for Multi-Level Optimum Design," accepted for publication in the Journal of Structural Mechanics (as of September, 1983).
5. Bristow, D. R., "Development of Panel Methods for Subsonic Analysis and Design," NASA CR-3234, 1980.